

DISASTER COLLAPSED STRUCTURE CANINE SEARCH TECHNICIAN

TYPE	TYPE 1	TYPE 2
DESCRIPTION	A Disaster Collapsed Structure Canine Search Technician is a pairing of one canine handler and one canine trained to search for and detect human scent in failed structures and natural debris fields.	Not Specified
CATEGORY	CRITERIA	CRITERIA
TRAINING	Fulfillment of requirement(s) as stated in the following standard(s): 1. Applicable portions of NFPA 1006: Standard for Rescue Technician (2003) and ASTM F1730-96 2. NASAR Canine Initial Disaster Responder; and/ or FEMA Canine Search Specialist Training Course 3. NFPA 472 HazMat Operations and/or OSHA 1910.120(Q)(6)(ii), HazMat Operations Training or equivalent basic instruction on responding to and operating in a CBRNE incident Completion of the following baseline criteria: 4. OSHA 1910.120 and/or 1910.134(f) Respiratory Protection 5. MRA 105.1 6. ASTM F-2209 Completion of the following courses and/or curricula: 7. ICS-100: Introduction to ICS 8. ICS-200: Basic ICS 9. ICS-300: Intermediate ICS 10. FEMA IS-700: NIMS, An Introduction 11. NASAR General Requirements; and/or ASTM F2209 General SAR Requirements Recommended: Completion of the following courses and/or curricula: 1. FEMA IS-800 NRP, An Introduction 2. FEMA US&R Canine Search Specialist Training Course; or state equivalent	Not Specified
	NOTES: Not Specified	
EXPERIENCE	Recommended: 1. Position taskbooks that validate and verify (by AHJ) demonstrated ability to perform required skills in exercises and/or actual incidents every 5 years or as dictated by need 2. Fingerprint Background Check	Not Specified
	NOTES: Not Specified	

TYPE	TYPE 1	TYPE 2
DESCRIPTION	A Disaster Collapsed Structure Canine Search Technician is a pairing of one canine handler and one canine trained to search for and detect human scent in failed structures and natural debris fields.	Not Specified
CATEGORY	CRITERIA	CRITERIA
PHYSICAL/MEDICAL FITNESS	Completion of the following baseline criteria: 1. Medical requirements established by the AHJ 2. Minimum physical fitness standards as required by the AHJ Recommended: Fulfillment of requirement(s) as stated in the following standard(s): 1. NFPA 1582, Standard on Medical Requirements for Fire Fighters, or equivalent 2. Annual medical/fitness for canine 3. EMT-B per NFPA 1006(2003), A-3-3.5	Not Specified
	NOTES: That NFPA 1582, Standard on Medical Requirements for Fire Fighters, as recommended by NFPA 1006, be adopted. Where necessary, additional inoculations specific to the incident environment may be required.	
PROFESSIONAL AND TECHNICAL LICENSES AND CERTIFICATIONS	Certification: 1. Annual NASAR, as referenced in the National Standard Curriculum; and/or IPWDA as referenced in the National Standard Curriculum; and/or FEMA Type I Canine Specialist 2. Certified for confined space entry in accordance with OSHA Standard 29 CFR 1910.146 Confined Space Entry Permit Recommended Certification: 1. Every 2 years for NASAR Standards 2. State certification and recertification every 2 years 3. FEMA CSSCP (Canine Search Specialist Certification Process)	Not Specified
	NOTES: Not Specified	

ORDERING SPECIFICATIONS OR DESIGNATIONS

1. Can be ordered as an individual asset
2. Can be ordered in conjunction with a NIMS typed team
3. Can be ordered in conjunction with a NIMS typed unit

NOTE

Nationally typed resources represent the minimum criteria for the associated category.